∬exans

LANmark-6 Patchcords

- Complies with the latest Category 6 standards
- Uses Nexans cable technology
- Fully matched with other components for maximum performance
- Unscreened & Screened or Ultim
- LSZH Flame retardant jacket as standard

Description

Application

LANmark-6 patchcords can be used to deliver a full end-to-end Class E solution.

LANmark-6 Ultim cords offer superior performance and deliver an additional 6dB channel ACR headroom. They can also be used for accurate field testing of channel performance. They provide improved data throughput and allows for the inclusion of a cross-connect or Consolidation Points for maximum system flexibility. They will also maximise the lifetime and long term performance of the system by minimising the risk of wear & tear damage which can be caused by using non-matched cords

• High Speed Multimedia patchcords

Installation

- Small cross section allows neat installation and simplifies the creation of bundles in cabinets.
- A Low Smoke Halogen Free Flame Retardant jacket is standard.
- 1, 2, 3 and 5m are standard lengths, other lengths are available on demand.
- 15 m is standard length for single end patchcord. Other lengths are available on demand.
- Orange and dark grey are standard.
- Rugged construction.





Standards International ISO/IEC 11801

Contact

LAN Systems (Nexans Cabling Solutions) 2 Faraday Office Park, Faraday Road RG24 8QQ Basingstoke United Kingdom Phone: +44 (0) 1256 486640 ncs.uk@nexans.com

Generated 04/07/07 for Denis Kelleher - http://www.nexans.co.uk

Page 1 / 3

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Mexans

LANmark-6 Patchcords

Characteristics

Usage characteristics

Range

LANmark-6

Page 2 / 3

Product List

Nexa	ns ref.	Name	Colour	Screen	Length (m) (m)
N101	.224CF	LANmark-6 RJ45 Patchcord, screened, LSZH, Grey 1 m	Grey	Yes	1
N101	.224EF	LANmark-6 RJ45 Patchcord, screened, LSZH, Grey, 2 m	Grey	Yes	2
N101	.224FF	LANmark-6 RJ45 Patchcord, screened, LSZH, Grey, 3 m	Grey	Yes	3
N101	.224HF	LANmark-6 RJ45 Patchcord, screened, LSZH, Grey, 5 m	Grey	Yes	5
N101	.224CO	LANmark-6 RJ45 Patchcord, screened, LSZH, Orange, 1 m	Orange	Yes	1
N101	.224EO	LANmark-6 RJ45 Patchcord, screened, LSZH, Orange, 2 m	Orange	Yes	2
N101	.224FO	LANmark-6 RJ45 Patchcord, screened, LSZH, Orange, 3 m	Orange	Yes	3
N101	.224HO	LANmark-6 RJ45 Patchcord, screened, LSZH, Orange, 5 m	Orange	Yes	5
N101	.214CF	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Grey, 1 m	Grey	No	1
N101	.214EF	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Grey, 2 m	Grey	No	2
N101	.214FF	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Grey, 3 m	Grey	No	3
N101	.214HF	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Grey, 5 m	Grey	No	5
N101	.214CO	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Orange, 1 m	Orange	No	1
N101	.214EO	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Orange, 2 m	Orange	No	2
N101	.214FO	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Orange, 3 m	Orange	No	3
N101	.214HO	LANmark-6 RJ45 Patchcord, unscreened, LSZH, Orange, 5 m	Orange	No	5
N101	.254QO	LANmark-6 RJ45 Single-end Patchcord, screened, LSZH, Orange, 15 m	Orange	Yes	
[≫] N101	.244QO	LANmark-6 RJ45 Single-end Patchcord, unscreened, LSZH, Orange, 15 m	Orange	No	
N101	.255QO	LANmark-6 ULTIM Category 6 RJ45 Single End Patch cord LSZH Orange 15m	Orange	Yes	
N101	.225CF	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Grey 1 m	Grey	Yes	1
N101	.225EF	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Grey 2m	Grey	Yes	2
N101	.225FF	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Grey 3m	Grey	Yes	3
N101	.225HF	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Grey 5m	Grey	Yes	5
N101	.225CO	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Orange 1m	Orange	Yes	1
N101	.225EO	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Orange 2m	Orange	Yes	2
N101	.225FO	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Orange 3m	Orange	Yes	3

Generated 04/07/07 for Denis Kelleher - http://www.nexans.co.uk

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

∬e x a n s

LANmark-6 Patchcords

Nexans ref.	Name	Colour	Screen	Length (m) (m)
N101.225HO	LANmark-6 ULTIM Category 6 RJ45 Patch cord LSZH Orange 5m	Orange	Yes	5

Generated 04/07/07 for Denis Kelleher - http://www.nexans.co.uk

Page 3 / 3

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.